

Flow Rates Available

CI-2005 and CIC-2005 High Flow Group

Choose a flow rate for the CI-2005 Liquid and Chemical Flow Meter and the CIC-2005 Liquid and Chemical Flow Controller from the group below. You should pick the flow rate which is equal to the maximum rate that you want to flow with your system. The meter analog output that you receive will be scaled to this flow rate as the maximum flow. This is the High Flow Group for the CI-2005 Liquid and Chemical Flow Meter and CIC-2005 Liquid and Chemical Flow Controller. If you do not see the flow rate that you are looking for, then you should go to either the **Low Flow Group** or the **Middle Flow Group**.

If you are planning to purchase a **Re-Ranging Kit** and if this is the group from which you have picked your first flow rate, then you should pick three additional flow rates from this group. Each of the additional flow rates will be loaded into your meter and will be accessible from the menu screen. You will receive a re-ranging kit with instructions, the laminar flow elements, and necessary tools for changing them along with your Flow Meter.

- | | | | |
|-----------|-----------|----------|----------|
| ✓ 5 LPM | ✓ 9 LPM | ✓ 15 LPM | ✓ 22 LPM |
| ✓ 5.5 LPM | ✓ 9.5 LPM | ✓ 16 LPM | ✓ 23 LPM |
| ✓ 6.0 LPM | ✓ 10 LPM | ✓ 17 LPM | ✓ 24 LPM |
| ✓ 5 LPM | ✓ 11 LPM | ✓ 18 LPM | ✓ 25 LPM |
| ✓ 7 LPM | ✓ 12 LPM | ✓ 19 LPM | ✓ 26 LPM |
| ✓ 7.5 LPM | ✓ 13 LPM | ✓ 20 LPM | ✓ 27 LPM |
| ✓ 8 LPM | ✓ 14 LPM | ✓ 21 LPM | ✓ 29 LPM |
| ✓ 8.5 LPM | | | ✓ 30 LPM |