

## Flow Rates Available

### CI-2005 and the CIC-2005 Middle Flow Group

Choose a flow rate for the CI-2005 Liquid and Chemical Flow Meter and the CIC-2005 Liquid and Chemical Flow Controller from the group below. You should pick the flow rate which is equal to the maximum rate that you want to flow with your system. The meter analog output that you receive will be scaled to this flow rate as the maximum flow. This is the Middle Flow Group for the CI-2005 Liquid and Chemical Flow Meter and the CIC-2005 Liquid and Chemical Flow Controller. If you do not see the flow rate that you are looking for, then you should go to either the **Low Flow Group** or the **High Flow Group**.

If you are planning to purchase a **Re-Ranging Kit** and if this is the group from which you have picked your first flow rate, then you should pick three additional flow rates from this group. Each of the additional flow rates will be loaded into your meter and will be accessible from the menu screen. You will receive a re-ranging kit with instructions, the laminar flow elements, and necessary tools for changing them along with your Flow Meter.

✓ 110 ccm	✓ 400 ccm	✓ 925 ccm	✓ 2.8 LPM
✓ 115 ccm	✓ 415 ccm	✓ 950 ccm	✓ 2.9 LPM
✓ 125 ccm	✓ 425 ccm	✓ 1 LPM	✓ 3 LPM
✓ 135 ccm	✓ 450 ccm	✓ 1.1 LPM	✓ 3.1 LPM
✓ 138 ccm	✓ 465 ccm	✓ 1.2 LPM	✓ 3.2 LPM
✓ 140 ccm	✓ 475 ccm	✓ 1.3 LPM	✓ 3.4 LPM
✓ 150 ccm	✓ 500 ccm	✓ 1.4 LPM	✓ 3.5 LPM
✓ 160 ccm	✓ 525 ccm	✓ 1.5 LPM	✓ 3.6 LPM
✓ 170 ccm	✓ 550 ccm	✓ 1.6 LPM	✓ 3.7 LPM
✓ 190 ccm	✓ 575 ccm	✓ 1.7 LPM	✓ 3.8 LPM
✓ 200 ccm	✓ 600 ccm	✓ 1.8 LPM	✓ 3.9 LPM
✓ 215 ccm	✓ 625 ccm	✓ 1.9 LPM	✓ 4 LPM
✓ 235 ccm	✓ 650 ccm	✓ 2 LPM	✓ 4.1 LPM
✓ 245 ccm	✓ 675 ccm	✓ 2.1 LPM	✓ 4.2 LPM
✓ 265 ccm	✓ 700 ccm	✓ 2.2 LPM	✓ 4.4 LPM
✓ 275 ccm	✓ 725 ccm	✓ 2.3 LPM	✓ 4.5 LPM
✓ 285 ccm	✓ 750 ccm	✓ 2.4 LPM	✓ 4.6 LPM
✓ 300 ccm	✓ 775 ccm	✓ 2.5 LPM	✓ 4.8 LPM
✓ 325 ccm	✓ 800 ccm	✓ 2.6 LPM	✓ 4.9 LPM
✓ 350 ccm	✓ 850 ccm	✓ 2.7 LPM	✓ 5 LPM
✓ 375 ccm	✓ 900 ccm		